ARTIFACT SHEET

	rtifact number below. Artifact number is application number + type code (see list below) + sequential letter (A, B, C). The first		
	folder for an artifact type receives the letter A, the second B, etc		
	les: 59123456PA, 59123456PB, 59123456ZA, 59123456ZB		
p	09064765 BA		
	e quantity of a single type of artifact received but not scanned. Create ual artifact folder/box and artifact number for each Artifact Type.		
	CD(s) containing:		
<u> </u>	computer program listing		
	Doc Code: Computer Artifact Type Code: P		
	pages of specification and/or sequence listing		
	and/or table		
	Doc Code: Artifact Artifact Type Code: S		
	content unspecified or combined		
	Doc Code: Artifact Artifact Type Code: U		
	Stapled Set(s) Color Documents or B/W Photographs Doc Code: Artifact Type Code: C		
	MC C1 (-)		
	Microfilm(s) Doc Code: Artifact Type Code: F		
	Video tape(s) Doc Code: Artifact Type Code: V		
	Model(s)		
	Doc Code: Artifact Type Code: M		
	Bound Document(s) Doc Code: Artifact Type Code: B		
	Confidential Information Disclosure Statement or Other Documents marked Proprietary, Trade Secrets, Subject to Protective Order, Material Submitted under MPEP 724.02, etc.		
	Doc Code: Artifact Type Code X		
	Other, description:		
	Doc Code: Artifact Type Code: Z		



The United States of America

The Commissioner of Patents and Trademarks

Has received an application for a patent for a new and useful invention. The title and description of the invention are enclosed. The requirements of law have been complied with, and it has been determined that a patent on the invention shall be granted under the law.

Therefore, this

United States Patent

Grants to the person or persons having title to this patent the right to exclude others from making, using or selling the invention throughout the United States of America for the term of seventeen years from the date of this patent, subject to the payment of maintenance fees as provided by law.

Buce Tehran

Commissioner of Patents and Trademarks

Asseilla Huller

NOTICE If the application for this patent was filed on or after December 12, 1980, maintenance fees are due three years and six months, seven years and six months, and eleven years and six months after the date of this grant, or within a grace period of six months thereafter upon payment of a surcharge as provided by law. The amount, number, and timing of the maintenance fees required may be changed by law or regulation. Unless payment of the applicable maintenance fee is received in the Patent and Trademark Office on or before the date the fee is due or within a grace period of six months thereafter, the patent will expire as of the end of such grace period.

United States Patent 1191

Ohnishi et al.

Patent Number: [11]

5,510,982

Date of Patent: [45]

Apr. 23, 1996

[54] AUTOMATIC AUTOMOBILE TRANSMISSION WITH VARIABLE SHIFT PATTERN CONTROLLED IN RESPONSE TO ESTIMATED RUNNING LOAD

[75] Inventors: Hiroshi Ohnishi, Katsuta; Kouji

Kitano, Kagawa; Mitsuo Kayano, Hitachi; Nobuo Kurihara, Hitachiota,

all of Japan

[73] Assignee: Hitachi, Ltd., Japan

[21] Appl. No.: 985,199

Dec. 3, 1992 [22] Filed:

Foreign Application Priority Data [30] Dec. 3, 1991 [JP] Japan 3-319205

[51] Int. Cl.⁶ B60K 17/06 395/905

395/905, 21, 23; 477/115, 120, 131, 138, 154, 155, 97, 900, 904

References Cited [56]

U.S. PATENT DOCUMENTS

4,836,057	6/1989	Asayama et al 477/120
5,035,160		Morita 477/154
5,088,354		Asada 475/276
5,140,870	8/1992	Asada 364/424.1
5,231,582		Takahashi et al 364/424.1
5,231,897		Morita 364/424.1 X
5,267,158		Sakaguchi et al 364/424.1
5,292,288	3/1994	Kashiwabara et al 477/156
5,309,790	5/1994	Tanaka 477/161
		· ·

FOREIGN PATENT DOCUMENTS

0375155A1	6/1990	European Pat. Off
2852195C2	6/1980	Germany .
3341652C2	6/1985	Germany .
3539682C2	5/1986	Germany .
4010104A1	10/1990	Germany .
63-45976	9/1988	Japan .
3-117769	5/1991	Japan .
3-134363	6/1991	Japan .
91/15689A1	10/1991	WIPO .

Primary Examiner--Collin W. Park Attorney, Agent, or Firm-Evenson, McKeown, Edwards & Lenahan

ABSTRACT [57]

An automatic transmission control system for an automobile, comprising a vehicle weight estimation unit which estimates a vehicle weight of the automobile a torque estimation unit which estimates an output torque, an acceleration input unit which accepts an acceleration signal; a load estimation unit (110) which estimates a running load from the estimated vehicle weight, the estimated output torque and the accepted acceleration; a memory which stores a plurality of shift schedules therein; and a gear position determination unit (109) which includes the memory, and which selects one of the shift schedules in accordance with the vehicle weight and the estimated running load, so as to determine a gear position of an automatic transmission of the automobile in conformity with the selected shift schedule. An exact shift operation conformed to the vehicle weight and the running load can be performed, and an enhanced fuel consumption can be attained.

7 Claims, 20 Drawing Sheets

